

axiom
POWER IN SAFE HANDS

LV SWITCHGEAR
MCBs | MCCBs | RCCBs
DBs | ISOLATORS

LED LIGHTING
Flood | Concealed | Hi-Bay
Street | Batten | COB | Bulb

PRICE LIST

www.axiommc.com

w.e.f.01st Jan 2023

— LV SWITCHGEAR —



MCBs | MCCBs | RCCBs | ISOLATORS | DBs

— LED LIGHTING —



Miniature Circuit Breaker (MCB)



MID TRIP 10kA		B Curve		C Curve		HSN Code 85362030
NO OF POLES	RATING (Amps)	CAT NO	MRP Per Unit (₹)	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
Single Pole (SP) 240V 50Hz	6-32 A	AX 1 B6-32	188	AX 1 C6-32	198	12
	40 A	AX 1 B40	252	AX 1 C40	265	12
	63 A	AX 1 B63	329	AX 1 C63	345	12
Single Pole Neutral (SPN) 240V 50Hz	6-32 A	AX 1N B6-32	393	AX 1N C6-32	413	6
	40 A	AX 1N B40	491	AX 1N C40	515	6
	63 A	AX 1N B63	603	AX 1N C63	633	6
Double Pole (DP) 240V 50Hz	6-32 A	AX 2 B6-32	424	AX 2 C6-32	446	6
	40 A	AX 2 B40	548	AX 2 C40	575	6
	63 A	AX 2 B63	711	AX 2 C63	747	6
Three Pole (TP) 415V 50Hz	6-32 A	AX 3 B6-32	656	AX 3 C6-32	689	4
	40 A	AX 3 B40	831	AX 3 C40	872	4
	63 A	AX 3 B63	1069	AX 3 C63	1122	4
Three Pole Neutral (TPN) 415V 50Hz	6-32 A	AX 3N B6-32	857	AX 3N C6-32	900	3
	40 A	AX 3N B40	1058	AX 3N C40	1111	3
	63 A	AX 3N B63	1301	AX 3N C63	1367	3
Four Pole (FP) 415V 50Hz	6-32 A	AX 4 B6-32	908	AX 4 C6-32	953	3
	40 A	AX 4 B40	1148	AX 4 C40	1205	3
	63 A	AX 4 B63	1464	AX 4 C63	1537	3



Miniature Circuit Breaker (MCB) Ace



MID TRIP 10kA		B Curve		C Curve		HSN Code 85362030
NO OF POLES	RATING (Amps)	CAT NO	MRP Per Unit (₹)	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
Single Pole (SP) 240V 50Hz	6-32 A	AX 1 B6-32	205	AX 1 C6-32	212	12
	40 A	AX 1 B40	276	AX 1 C40	286	12
	63 A	AX 1 B63	355	AX 1 C63	370	12
Single Pole Neutral (SPN) 240V 50Hz	6-32 A	AX 1N B6-32	428	AX 1N C6-32	442	6
	40 A	AX 1N B40	532	AX 1N C40	551	6
	63 A	AX 1N B63	658	AX 1N C63	683	6
Double Pole (DP) 240V 50Hz	6-32 A	AX 2 B6-32	466	AX 2 C6-32	481	6
	40 A	AX 2 B40	613	AX 2 C40	634	6
	63 A	AX 2 B63	781	AX 2 C63	811	6
Three Pole (TP) 415V 50Hz	6-32 A	AX 3 B6-32	720	AX 3 C6-32	741	4
	40 A	AX 3 B40	946	AX 3 C40	979	4
	63 A	AX 3 B63	1192	AX 3 C63	1238	4
Three Pole Neutral (TPN) 415V 50Hz	6-32 A	AX 3N B6-32	939	AX 3N C6-32	969	3
	40 A	AX 3N B40	1202	AX 3N C40	1233	3
	63 A	AX 3N B63	1479	AX 3N C63	1536	3
Four Pole (FP) 415V 50Hz	6-32 A	AX 4 B6-32	990	AX 4 C6-32	1023	3
	40 A	AX 4 B40	1306	AX 4 C40	1352	3
	63 A	AX 4 B63	1642	AX 4 C63	1696	3



New Design

Isolator Switches

Conforms to IS/IEC 60947-3

HSN Code
85362090

NO OF POLES	RATING (Amps)	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
Double Pole (DP)	40 A	AX 2 IS 40	370	6
Double Pole (DP)	63 A	AX 2 IS 63	385	6
Double Pole (DP)	100 A	AX 2 IS 100	560	6
Three Pole (TP)	40 A	AX 3 IS 40	560	4
Three Pole (TP)	63 A	AX 3 IS 63	585	4
Three Pole (TP)	100 A	AX 3 IS 100	930	4
Four Pole (FP)	40 A	AX 4 IS 40	755	3
Four Pole (FP)	63 A	AX 4 IS 63	810	3
Four Pole (FP)	100 A	AX 4 IS 100	1235	3



MCB Changeover Switch (Two-Way Centre Off)

MCB Changeover switch conforms to IS:13947/Part III & IEC 60947

MCB Changeover switch provides changeover from main supply to generator supply & vice-versa

HSN Code
85362090

NO OF POLES	RATING (Amps)	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
Double Pole (DP)	25 A	AX 2 CH 25	600	6
Double Pole (DP)	40 A	AX 2 CH 40	665	6
Double Pole (DP)	63 A	AX 2 CH 63	755	6
Four Pole (FP)	25 A	AX 4 CH 25	1225	4
Four Pole (FP)	40 A	AX 4 CH 40	1390	4
Four Pole (FP)	63 A	AX 4 CH 63	1555	4



Residual Current Circuit Breaker (RCCB) 6 kA



HSN Code
85362040

NO OF POLES	RATING (Amps)	CAT NO	MRP Per Unit (₹)			STD PACK (No. of Units)
			Sensitivity			
			30mA	100mA	300mA	
Double Pole (DP)	25 A	AX 2 RCCB 25 30/100/300 mA	1675	1630	1630	1
Double Pole (DP)	40 A	AX 2 RCCB 40 30/100/300 mA	1710	1675	1675	1
Double Pole (DP)	63 A	AX 2 RCCB 63 30/100/300 mA	1745	1710	1710	1
Four Pole (FP)	25 A	AX 4 RCCB 25 30/100/300 mA	2510	2460	2460	1



Moulded Case Circuit Breaker (MCCB)

Fixed thermal & fixed magnetic setting

HSN Code
85362020

RATING/ICU	CAT NO	MRP Per Unit (₹)		STD PACK (No. of Units)
		THREE POLE	FOUR POLE	
63-100A/10kA	AX 3/4 MCCB 63-100 10K	1980	2660	1
125A/10kA	AX 3/4 MCCB 125 10K	2040	2745	1
63-100A/35kA	AX 3/4 MCCB 63-100 35K	2880	3880	1
125A/35kA	AX 3/4 MCCB 125 35K	3075	4160	1
160A/35kA	AX 3/4 MCCB 160 35K	5205	7235	1
200A/35kA	AX 3/4 MCCB 200 35K	5295	7370	1
250A/35kA	AX 3/4 MCCB 250 35K	5590	7885	1
315-400A/50kA	AX 3/4 MCCB 315-400 50K	13150	18225	1
630A/50kA	AX 3/4 MCCB 630 50K	20745	28960	1



10K Design



35/50K Design

Spreader Links (For MCCB)

(with Tin Plated Copper)

HSN Code
85389000

RATING/ICU	CAT NO	MRP Per Unit (₹)		STD PACK (No. of Units)
		THREE POLE (Set of 6)	FOUR POLE (Set of 8)	
40-125A/10kA	AXSL 40-125 10K-3/4	325	455	1
40-125A/35kA	AXSL 40-125 35K-3/4	455	620	1
160-250A/35kA	AXSL 160-250 35K-3/4	1045	1420	1
375-400A/50kA	AXSL 315-400 50K-3/4	2500	3325	1



New Addition

Single Door DB, Single Phase Neutral (SPN)

Premium powder coated sheet steel DB, fitted with bus-bar, neutral link and din rail. Conforms to IS: 13032-1991

HSN Code
85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
4	AX 1 DB 4	550	20
6	AX 1 DB 6	675	12
8	AX 1 DB 8	780	10
10	AX 1 DB 10	895	10
12	AX 1 DB 12	1015	10
16	AX 1 DB 16	1265	8



Single Door DB, Three Phase Neutral (TPN)

Premium powder coated sheet steel DB, fitted with bus-bar, neutral link and din rail. Conforms to IS: 13032-1991

HSN Code
85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
4	AX 3 DB 4	1745	4
6	AX 3 DB 6	2195	4
8	AX 3 DB 8	2680	4
12	AX 3 DB 12	3625	2



Double Door DB, Single Phase Neutral (SPN) Classic Plus Series

Premium powder coated sheet steel DB, fitted with bus-bar, cement guard, neutral link, earth link, din rail along with separate door packing. Conforms to IS: 13032-1991

HSN Code
85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
4	AX 1 CP DBDD 4	985	12
6	AX 1 CP DBDD 6	1195	6
8	AX 1 CP DBDD 8	1360	6
12	AX 1 CP DBDD 12	1695	6
16	AX 1 CP DBDD 16	2075	6



Double Door DB, Three Phase Neutral (TPN) Classic Plus Series

Premium powder coated sheet steel DB, fitted with bus-bar, cement guard, neutral link, earth link, din rail along with wire assembly & separate door packing. Conforms to IS: 13032-1991

HSN Code
85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	MRP Per Unit (₹) (without wire Assy)	STD PACK (No. of Units)
4	AX 3 CP DBDD 4	2705	2335	3
6	AX 3 CP DBDD 6	3350	2980	3
8	AX 3 CP DBDD 8	3935	3565	3
12	AX 3 CP DBDD 12	5155	4785	2



Single Door DB, Single Phase Neutral (SPN)

Premium powder coated sheet steel DB, fitted with bus-bar, neutral link and din rail. Conforms to IS: 13032-1991

HSN Code

85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
4	AX 1 DB 4	550	20
6	AX 1 DB 6	675	12
8	AX 1 DB 8	780	10
10	AX 1 DB 10	895	10
12	AX 1 DB 12	1015	10
16	AX 1 DB 16	1265	8



Single Door DB, Three Phase Neutral (TPN)

Premium powder coated sheet steel DB, fitted with bus-bar, neutral link and din rail. Conforms to IS: 13032-1991

HSN Code

85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
4	AX 3 DB 4	1745	4
6	AX 3 DB 6	2195	4
8	AX 3 DB 8	2680	4
12	AX 3 DB 12	3625	2



Double Door DB, Single Phase Neutral (SPN) Classic Plus Series

Premium powder coated sheet steel DB, fitted with bus-bar, cement guard, neutral link, earth link, din rail along with separate door packing. Conforms to IS: 13032-1991

HSN Code

85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
4	AX 1 CP DBDD 4	985	12
6	AX 1 CP DBDD 6	1195	6
8	AX 1 CP DBDD 8	1360	6
12	AX 1 CP DBDD 12	1695	6
16	AX 1 CP DBDD 16	2075	6



Double Door DB, Three Phase Neutral (TPN) Classic Plus Series

Premium powder coated sheet steel DB, fitted with bus-bar, cement guard, neutral link, earth link, din rail along with wire assembly & separate door packing. Conforms to IS: 13032-1991

HSN Code

85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	MRP Per Unit (₹) (without wire Assy)	STD PACK (No. of Units)
4	AX 3 CP DBDD 4	2705	2335	3
6	AX 3 CP DBDD 6	3350	2980	3
8	AX 3 CP DBDD 8	3935	3565	3
12	AX 3 CP DBDD 12	5155	4785	2



MCB Enclosure Metal Clad (Cutout)

HSN Code

85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
1/2	AX C 1/2	250	60
3/4	AX C 3/4	307	50



MCB Enclosure Plastic (Cutout)

HSN Code

85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
1/2	AX PC 2E (Eco Model)	40	60
1/2	AX PC 2	81	60
3/4	AX PC 4	109	50



MCB Enclosure Plastic (with Protective Cover)

HSN Code

85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
1/2	AX PX 1/2	135	60
3/4	AX PX 3/4	197	50



Plug & Socket DB

Sheet steel enclosure fitted with earth metal plug and socket suitable for incorporating SPN/DP or TPN/ FP MCB

HSN Code
85371000

NO OF POLES	RATING (A)	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
1P / 1P+N	SPN 20	AX 1N PSDB 20	880	12
3P / 3P +N	TP / TPN 20	AX 3N PSDB 20	1250	9
3P / 3P +N	TP / TPN 30	AX 3N PSDB 30	1720	9



Plug & Socket Metal Clad

HSN Code
85366910

NO OF POLES	RATING (A)	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
2 POLE+EARTH	10	AX MP 10/2	170	30
2 POLE+EARTH	10	AX MS 10/2	185	30
2 POLE+EARTH	20	AX MP 20/2	220	50
2 POLE+EARTH	20	AX MS 20/2	240	50
3 POLE+EARTH	20	AX MP 20/3	255	25
3 POLE+EARTH	20	AX MS 20/3	315	25
3 POLE+EARTH	30	AX MP 30/3	555	20
3 POLE+EARTH	30	AX MS 30/3	520	20



Multi Option Plug & Socket DB

HSN Code
85371000

NO OF WAYS/ RATING	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
2 WAY/SPN 20 A	AX 1N PSDBMO 20 2W	1565	1
3 WAY/SPN 20 A	AX 1N PSDBMO 20 3W	2150	1
4 WAY/SPN 20 A	AX 1N PSDBMO 20 4W	2920	1
2 WAY/TPN 20 A	AX 3N PSDBMO 20 2W	1850	1
3 WAY/TPN 20 A	AX 3N PSDBMO 20 3W	2515	1
4 WAY/TPN 20 A	AX 3N PSDBMO 20 4W	3350	1
MULTI OPTION PLUG & SOCKET DB (ONLY ENCLOSURE)			
2 WAY/ SPN/TPN 20 A	AX PSDBMO 20 2W EN	765	1
3 WAY/ SPN/TPN 20 A	AX PSDBMO 20 3W EN	910	1
4 WAY/ SPN/TPN 20 A	AX PSDBMO 20 4W EN	1220	1



Vertical Double Door DB, Three Phase Neutral (TPN)

Three phase reversible double door DB with option for mounting either MCB or MCCB as incomer

HSN Code
85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
4 WAY (12 O/G)	AX 3 VDB DD 4 MCB/MCCB	5560	1
6 WAY (18 O/G)	AX 3 VDB DD 6 MCB/MCCB	6760	1
8 WAY (24 O/G)	AX 3 VDB DD 8 MCB/MCCB	8010	1
12 WAY (36 O/G)	AX 3 VDB DD 12 MCB/MCCB	10525	1



Vertical Phase Selector Double Door DB, Three Phase Neutral (TPN)

Axiom vertical type phase selector DB provides ample space for wiring and has two separate compartments for MCBs & phase selector switches. Suitable for use on 240/415V, 50 Hz supply & comes with 8P incomer provision.

HSN Code
85371000

NO OF WAYS/ RATING	CAT NO	WITHOUT ROTARY SWITCH, WIRE ASSY & ROCKER SWITCH	COMPLETE WITH ROTARY SWITCH, WIRE ASSY & ROCKER SWITCH	STD PACK (No. of Units)
		MRP Per Unit (₹)	MRP Per Unit (₹)	
4 WAY/40 A	AX 3 PSDB DD 4 40	5720	10075	1
4 WAY/63 A	AX 3 PSDB DD 4 63		11400	1
6 WAY/40 A	AX 3 PSDB DD 6 40	6470	10900	1
6 WAY/63 A	AX 3 PSDB DD 6 63		12340	1
8 WAY/40 A	AX 3 PSDB DD 8 40	7210	11800	1
8 WAY/63 A	AX 3 PSDB DD 8 63		13495	1
12 WAY/40 A	AX 3 PSDB DD 12 40	8640	13410	1
12 WAY/63 A	AX 3 PSDB DD 12 63		15210	1



TV/Tel Socket DB Single Phase Neutral (SPN)

Axiom TV/Telephone double door DB comes fitted with bus bar, neutral link, earth link having telephone socket & TV co-axial socket suitable for use in apartments

HSN Code
85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
2+6 WAY	AX 1 TVTLDB DD 6	2685	1
2+8 WAY	AX 1 TVTLDB DD 8	2895	1
2+12 WAY	AX 1 TVTLDB DD 12	3220	1



MCCB Enclosures, IP-30 Sheet Steel

Axiom MCCB Enclosure has a unique universal mounting plate design that accommodates all leading brand MCCBs

HSN Code
85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
S1 - 100	AX ME 100	890	12
S2 - 160	AX ME 160	1140	6
S3 - 250	AX ME 250	1750	3
S4 - 400	AX ME 400	4120	1



Cross DB, Single Phase Neutral (SPN) (Plastic Cover & Metal Base)

Axiom Cross DB is a unique concept having powder coated metal base and aesthetically designed plastic cover, fitted with bus-bar, neutral link & earth link

HSN Code
85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)		STD PACK (No. of Units)
		DESIGN 1	DESIGN 2	
6 WAY	AX CR 1 DB 6 D1/D2	1195	1290	6
9 WAY	AX CR 1 DB 9 D1/D2	1425	1490	6
13 WAY	AX CR 1 DB 13 D1/D2	1750	1850	6



IP 55 Plastic DB, Single Phase Neutral (SPN)

Axiom IP 55 Plastic DB is a special purpose DB suitable for use in environments which require full proof protection from dust, water or any other foreign object.

HSN Code
85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
5 WAY	AX IP 55 1 DB 5	1000	6
8 WAY	AX IP 55 1 DB 8	1360	6
12 WAY	AX IP 55 1 DB 12	2085	6



IP 65 Plastic DB, Single Phase Neutral (SPN)

Axiom IP 65 Plastic DB is a special purpose DB suitable for use in environments which require full proof protection from dust, water or any other foreign object.

HSN Code
85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
5 WAY	AX IP 65 1 DB 5	875	6
8 WAY	AX IP 65 1 DB 8	1385	6
12 WAY	AX IP 65 1 DB 12	1870	6



New Addition

Bus Bar Chamber

(with Tin Plated Copper Strip)

Axiom Bus Bar Chamber offers unique stepwise phase distribution for ease of wiring

HSN Code
85371000

S. No.	RATING	CAT NO	AMP/VOLT	ENCLOSURE SIZE (In mm)	MRP Per Unit (₹)	STD PACK (No. of Units)
1	63 Amp	AX BBCDD 63 AMP	63A/415V	315X276X160	3255	1
2	100 Amp	AX BBCDD 100 AMP	100/415V	397X298X160	4450	1
3	200 Amp	AX BBCDD 200 AMP	200/415V	465X336X160	6925	1
4	300 Amp	AX BBCDD 300 AMP	300/415V	624X410X160	12830	1
5	400 Amp	AX BBCDD 400 AMP	400/415V	624X410X160	18835	1



New Addition